




Accus Nimh blister x4 AA NX READY XTREM 1,2V 2600mAh

MAIN INFORMATION | INFORMATIONS GÉNÉRALES

Brand Marque	NX
Technology Technologie	NICKEL-Métal hydrure BATTERY ACCUMULATEUR NiMH
Voltage Tension	1,2v
Charge standard	260 mA charge 16h (at 20°C)
Capacity Capacité	2600mAh
Minimal Capacity Capacité mini	2600mAh
Tension de charge maxi Max continuous charge voltage	1,5V
Cycle life at 80% DOD (0,5C)	100
Résistance Interne Internal Impedance	≤32mΩ
Température d'usage Ambient temperature	
Charge Charging	0°C to 40°C
Décharge Discharging	-20°C to 60°C
Température de stockage Storage temperature	-20°C to 35°C
Charge rapide Fast charge	1300 mA ~ 2600 mA



← DIMENSIONS | DIMENSIONS →


h: 50,5 mm
d: 14,5 mm




Weight Battery | Poids batterie

32g

COURBES DE CHARGE



COURBES DE DÉCHARGE



OUTLINE SAFETY WARNING: USE ONLY WITH IN THE ALLOWED PARAMETERS. Do not short circuit or over-load the battery. Charge only using an approved charger designed specifically to charge this battery. Do not heat above maximum temperatures indicated. Never crush, mutilate, puncture or abuse the battery. Do not dismantle the pack or disable any of the protective devices or circuits. DO NOT USE THE BATTERY IF YOU SUSPECT IT MAY BE FAULTY OR DAMAGED.

No document or design may be copied or used for commercial purposes without written permission of Enix Energies. Users must satisfy themselves, by means of testing etc., that products are suitable for their application. Data in this document is for general guidance only; consult cell manufacturers data for definitive information. Information is given free of charge and in good faith, but no responsibility can be accepted for any errors or omission or costs or losses or liabilities arising from the use of this information. All business is conducted to Enix Energies terms and conditions only.

