



Accus Lithium Fer Phosphate IFR26650 LifePO4 3.2V 4Ah FT

MAIN INFORMATION | INFORMATIONS GÉNÉRALES

Brand Marque	NX
Technology Technologie	LITHIUM FER PHOSPHATE BATTERY ACCUMULATEUR LIFEPO4
Voltage Tension	3,2v
Charge standard	
Capacity Capacité	4000mAh
Minimal Capacity Capacité mini	3950mAh
Courant de décharge maxi Max continuous discharge current	12,0A
Tension de charge maxi Max continuous charge voltage	3,65V
Cycle life at 80% DOD (0,5C)	4000
Résistance Interne Internal Impedance	≤20 mΩ
Température d'usage Ambient temperature	
Charge Charging	0°C to 75°C
Décharge Discharging	-30°C to 75°C
Température de stockage Storage temperature	-20°C to 45°C
Charge rapide Fast charge	
Charge de maintien Trickle charge	



← DIMENSIONS | DIMENSIONS →


h: 65.7±0.3
d: ≤26.45




Weight Battery | Poids batterie

88g

COURBES DE CHARGE



COURBES DE DÉCHARGE



OUTLINE SAFETY WARNING: USE ONLY WITH IN THE ALLOWED PARAMETERS. Do not short circuit or over-load the battery. Charge only using an approved charger designed specifically to charge this battery. Do not heat above maximum temperatures indicated. Never crush, mutilate, puncture or abuse the battery. Do not dismantle the pack or disable any of the protective devices or circuits. DO NOT USE THE BATTERY IF YOU SUSPECT IT MAY BE FAULTY OR DAMAGED.

No document or design may be copied or used for commercial purposes without written permission of Enix Energies. Users must satisfy themselves, by means of testing etc., that products are suitable for their application. Data in this document is for general guidance only; consult cell manufacturers data for definitive information. Information is given free of charge and in good faith, but no responsibility can be accepted for any errors or omission or costs or losses or liabilities arising from the use of this information. All business is conducted to Enix Energies terms and conditions only.

