



Rechargeable medical battery

Batterie médicale rechargeable

Batería médica recargable

MAIN INFORMATION | INFORMATIONS GÉNÉRALES | INFORMACIÓN GENERAL

Brand Marque Marca	NX
Type of battery Type de batterie Tipo de batería	Compatible
Application Application Aplicación	Doppler / Doppler / Doppler
Technology Technologie Tecnología	Nickel-métal hydrure
Voltage Tension Tensión	12V
Capacity Capacité Capacidad / Voltaje	2,1Ah
Power Puissance Potencia	25,20Wh

← DIMENSIONS | DIMENSIONS | DIMENSIONES →

Length | Longueur | Longitud Width | Largeur | Anchura Height | Hauteur | Altura

83,64mm

34,11mm

46,35mm



Weight Battery
Poids batterie | Peso

333,60g



Ean code | Code Ean
Codigo Ean

3660766663535

COMPATIBLE PRODUCTS* / PRODUITS COMPATIBLES* / PRODUCTOS COMPATIBLES*

PART NUMBER | PART NUMBER | PART NUMBER

-

FIT MODEL | MARQUES MODÈLES | MARCAS Y MODELAS

Huntleigh / Dopplex Ability

OUTLINE SAFETY WARNING: USE ONLY WITH IN THE ALLOWED PARAMETERS. Do not short circuit or over-load the battery. Charge only using an approved charger designed specifically to charge this battery. Do not heat above maximum temperatures indicated. Never crush, mutilate, puncture or abuse the battery. Do not dismantle the pack or disable any of the protective devices or circuits. DO NOT USE THE BATTERY IF YOU SUSPECT IT MAY BE FAULTY OR DAMAGED.

© Copyright Enix Energies 2005. NB: This document and the product design are the intellectual property of Enix Energies. No document or design may be copied or used for commercial purposes without written permission of Enix Energies. Users must satisfy themselves, by means of testing etc., that products are suitable for their application. Data in this document is for general guidance only; consult cell manufacturers data for definitive information. Information is given free of charge and in good faith, but no responsibility can be accepted for any errors or omission or costs or losses or liabilities arising from the use of this information. All business is conducted to Enix Energies terms and conditions only.

